

TOOLS SECTION

**UTICA-STYLE PLIERS - ROUND
CRESCENT PLIERS - SQUARE
HEAVY DUTY FENCE PLIERS
END CUTTER - NIPS
HOG RING PLIERS Page 2**

**PIPE CUTTERS
PIPE CUTTER BLADES
RECIPROCATING BLADES Page 8**

**BOLT CUTTERS
STRETCHING BARS
PANEL STRETCHER
FENCE STRETCHER
TAPE MEASURE
TORPEDO LEVEL..... Page 3**

**PIPE NOTCHERS
PRESS & STANDARD HOUSING
PUNCH & DIE ASSEMBLIES..... Page 9**


**DIGGER BARS
POST HOLE DIGGERS
REPLACEMENT HANDLES
POST DRIVERS
LEATHER GLOVES Page 4**

**EARTH DRILLS & ACCESSORIES
GROUND HOG EARTH DRILLS
AUGERS
EXTENSIONS / BLADES..... Pages 10-11**

**WIRE STRETCHERS
WIRE GRIPS & ACCESSORIES
PUL-JAK
BARBED WIRE CARRIER Page 5**

**LITTLE BEAVER EARTH DRILLS
MECHANICAL EARTH DRILLS &
HYDRAULIC EARTH DRILLS
BLADES / AUGERS Pages 12, 13, 14**

PFERD ABRASIVE PRODUCTS.....Page 6-7



UTICA-STYLE FENCE PLIERS

SIZE	ITEM#	PRICE	
		1 TO 9	10 +
10" Round Nose	63109-10		

- Extended nose allows greater reach
- High quality
- Smooth working action




CRESCENT PLIERS - SQUARE

8"	61329		
10"	61330		




HEAVY DUTY FENCE PLIERS

10"	61331		
-----	-------	--	--



END CUTTER - NIPPERS

7" Blue Handle #357 Channellock	61349		
---------------------------------	-------	--	--




HOG RING PLIERS

H.M. (Small)	61334		
H.L.M. (Large)	61335		
B.O.E.	61336		
RR-HS w/spring	61337		


BOLT CUTTERS

SIZE	ITEM#	PRICE	
		1 TO 9	10 +
14"	61370		
18"	61371		
24"	61317		




STRETCHING BARS

3' (for 3' fence)	61392		
4' (for 4' fence)	61393		
5' (for 5' & 6' fence)	61394		
6' (for over 6' fence)	61395		



PANEL STRETCHER

	61396		
--	-------	--	--




FENCE STRETCHER

For 1 3/8" to 4" post	61396-10		
-----------------------	----------	--	--



TAPE MEASURE


DESCRIPTION	ITEM#	1 TO 11	12 TO 17	18 +
30' x 1"	61436-10			



TORPEDO LEVEL - ALUMINUM BODY

DESCRIPTION	ITEM#	1 TO 5	6 TO 11	12 +
Magnetic 9"	63104			





DIGGER BAR

DESCRIPTION	ITEM#	1 TO 5	6 TO 11	12 +
1 1/4" x 72" round	62169			

SEYMOUR POST HOLE DIGGERS (WOOD HANDLE)

DG-10	Heavy Atlas (blue)	61297			
DG-11	Hercules (blue)	61382			
DG-12	Perfection (blue)	61385-10			
DG-100	Atlas (red)	61383			


SEYMOUR POST HOLE DIGGERS (FIBERGLASS HANDLE)

DG-11FG	Hercules (blue)	61382-10			
DG-12FG	Perfection (blue)	61385-20			
DG-100FG	Atlas (red)	61383-10			

REPLACEMENT HANDLES

(PRICE IS PER HANDLE: NOT PER PAIR)

DG-10H	DG-10H Wood	61385			
FG-11	Fiberglass (yellow) (fits DG-100FG)	61372			
FG-48	Fiberglass (red) (fits DG-11FG & DG-12FG)	61372-10			



DG-11

Special Features

DG-11, BLUE

Heavy Duty Digger. Super tough, high carbon steel blades riveted to high tensile strength steel yoke.


Blades are 6 1/4" apart at tips.

DG-100, RED

Carbon steel blades riveted to high-strength steel yoke. Blades are 5 1/2" apart at tips.

HANDLES (WOOD OR FIBERGLASS)

For DG-10, DG-11, DG-12, DG-100 post hole diggers. Price is per handle. Not a pair.



POST DRIVERS

DESCRIPTION	ITEM#	1 TO 5	6 TO 11	12 +
16 lb without handle	61389			
26 lb without handle	61390			
26 lb with handles	61391			



LEATHER GLOVES

Work Gloves	61375			
-------------	-------	--	--	--


WIRE STRETCHERS & ACCESSORIES

DESCRIPTION	ITEM#	1 TO 5	6 TO 11	12 +
Cable Pow'R-Pull 144S-6	61386			
Strap Pull'R WS-1	61386-WS			



(2,000 lb. capacity)

Replacement parts available. Ask your sales person.




PARTS / ACCESSORIES

Extra Cable	12' w/clevis for 144S-6	61387			
Extra Strap	12' strap for WS-1	61387-WS			
Wire Grip		61388			



WIRE GRIPS


Klein Haven		61388-10			
-------------	--	----------	--	--	--



PULJAK


A-2.5	wire/panel stretcher	61397			
PulJak	P-122 repair kit *	61397-10			

* Comes with 1 trigger cam, 1 small cam, 2 springs






BARBED WIRE CARRIER


BFC Carrier		61288			
-------------	--	-------	--	--	--






SANDING DISCS

ITEM#	DESCRIPTION	BOX QTY	LESS BOX	BOX
PF62533 	5" Quick Change Alum. Oxide Aluminum Oxide A sanding disc with quick-change hub, 5" diameter, 5/8-11 thread, 36 grit, 12,200 max. RPM. For general-purpose grinding.	25		
PF62543 	5" Quick Change Alum. Zirconia Zirconia Alumina Z sanding disc with quick-change hub. 5" diameter, 5/8-11 thread, 36 grit, 12,200 max. RPM. Designed for coarse grinding and high stock removal, with an extended service life. Zirconia alumina is a high-performance abrasive which delivers best results on high-powered angle grinders at increased contact pressure.	25		
PF69525 	5" Ribbed Backing Pads Ribbed rubber backing pad for sanding discs. 5" diameter, 5/8-11 thread size, regular backing density, 10,000 max. RPM. Ribbed design allows for better cooling, which improves disc life.	25		


GRINDING WHEELS

PF61001 	4 1/2" x 1/4"; 5/8"-11, 24 Grit, Type 27 Aluminum Oxide grinding wheel for steel and cast iron. 4-1/2" diameter, 1/4" thickness, 5/8-11 thread, 24 grit, 13,300 max. RPM. General purpose grinding wheel for use on all metals. Smooth grinding action and fast removal rates with minimal contact pressure. Manufactured without addition of ferrous, sulphurous or chlorinated fillers. For surface grinding and edge grinding. Use with angle grinders of all power output levels.	10		
PF61008	5" x 1/4"; 5/8"-11, 24 Grit, Type 27 Aluminum Oxide grinding wheel for steel and cast iron. 5" diameter, 1/4" thickness, 5/8-11 thread, 24 grit, 12,200 max. RPM.	10		
PF61006	7" x 1/4"; 5/8"-11, 24 Grit, Type 27 Aluminum Oxide grinding wheel for steel and cast iron. 7" diameter, 1/4" thickness, 5/8-11 thread, 24 grit, 8,600 max. RPM.	10		


CUT-OFF WHEELS

ITEM#	DESCRIPTION	BOX QTY	LESS BOX	BOX
PF63115 	4 1/2" x 1/8"; 5/8-11, Type 27 Aluminum Oxide cut-off wheel for steel and cast iron, Type 27 (depressed center). 4-1/2" diameter, 1/8" thickness, 5/8-11 thread, 46 grit, 13,300 max. RPM. Use for cutting of sheet metal, sections, and solid material. 1/8" thickness for maximum tool life with high lateral stability. Use with angle grinders of all power output levels.	10		
PF63842 	7" x 1/8"; 5/8" AH, Type I Aluminum Oxide cut-off wheel for steel, Type 1 (flat). 7" diameter, 1/8" thickness, diamond 5/8-1/2 arbor hole, 24 grit, 8,600 max. RPM. Performance cut-off wheels with diamond-shaped bore for use with circular saws. Includes 5/8" and 1/2" adapters for use on angle grinders and straight shaft grinders. For cutting of sheet metal, sections, and solid material.	25		
PF64502 	14" x 3/32" Chop Saw Wheel, 1" AH Aluminum Oxide cut-off wheel for steel. 14" diameter, 3/32" thickness, 1" arbor hole, 36 grit, 4,400 max. RPM. Multipurpose tool for abrasive cutting operations using stationary machines. Aggressive abrasive performance for fast cuts and very long tool life. For cutting of sections and solid material, rebar, tubing, and other small cross sections. Use with up to 5 horsepower output machines.	10		

SPECIALTY

PF63340 	5" x 1/8" Duo Disc, 5/8-11, 46 Grit GRINDING AND CUTTING WITH THE SAME DISC DUODISC® combination cutting & grinding disc. 5" diameter, 1/8" thickness, 5/8-11 thread, 12,200 max. RPM. DUODISC® combination cutting, light deburring and surface grinding wheels conform to U.S. and international safety standards. 1/8" thickness for maximum tool life and high lateral stability. Manufactured without addition of ferrous, sulphurous or chlorinated fillers. Long service life and fast cutting action with angle grinders of all power outputs.	10		
--	--	----	--	--


HAND TOOLS

PF85033 	Wire Brush, Shoe Handle Shoe handle wire brush without scraper. 4 x 16 wire rows, 5" brush part length, carbon steel wire filament, 10-1/4" x 1-1/8" block, 1-3/16" trim length. PFERD Advance Brush premium hardwood scratch brush blocks are kiln-dried to keep wire tufts firmly in place, and hand-selected to ensure straightness and quality. Shoe handle scratch brushes provide good leverage, allowing a more powerful brush stroke than can be achieved with a curved handle brush.	12		
PF85034	Wire Brush with Scraper Shoe handle wire brush with scraper. Same as PF85033, but includes 1-7/16" steel scraper attachment.	12		



ELECTRIC PIPE CUTTER

DESCRIPTION	ITEM#	PRICE
Collins Electric, E-Z pipe cutter, model A (Includes foot pedal and one cutting blade)	63232	




BLADES FOR ELECTRIC PIPE CUTTER

Collins E-Z cutter blade	63235	
---------------------------------	-------	--




HAND PIPE CUTTER

Rigid 2" Hand pipe cutter	63233	
Rigid 3" Hand pipe cutter	63233-10	



BLADES FOR HAND PIPE CUTTER

Rigid 2" Hand pipe cutter	61361	
Rigid 3" Hand pipe cutter	63231-20	



RECIPROCATING SAW BLADES

SIZE	ITEM#	BLADE LENGTH	TEETH PER INCH	PRICE EACH
4TF14	61460	6"	14	
4TF18	61462	6"	18	
4MC24	61464	6"	24	

Thin Flex blades (TF) cuts stainless steel and other hard, dense materials. High speed *Metal Cutting* blades (MC) cuts metals lighter than 18 GA. sheet steel, light tubing, metal molding.

LOWBUCK

DESCRIPTION	ITEM#	PRICE
Hand notcher, lite Includes # 4 Die set and saddle	63225	




Lowbuck # 63225

Additional Die sets

# 4 Die set for 1 3/8", 1 5/8", 1 7/8" dies Includes saddle	63225-10	
# 3 Die set for 2" to 2 1/2" O.D. tubing or fence pipe, Not for schedule 40 Includes saddle	63226-10	

VOGEL

# 25 Economy pipe notcher	63227	
# 1400 Press w/o housing	63228	
# 35 Standard housing	63228-10	



Vogel # 1400 ARC-Fit Hand Operated Notcher
DOES NOT INCLUDE HOUSING AND DIE ASSEMBLY

SEE ITEMS BELOW

PUNCH & DIE ASSEMBLIES FOR # 1400 PRESS

Vogel # 9202	1 3/8" Die	63228-20	
Vogel # 9203	1 5/8" Die	63228-30	
Vogel # 9204	1 7/8" Die	63228-40	
Vogel # 9205	2 3/8" Die	63228-50	
Vogel # AF-S	ARC-Fit Spring	63229	



Vogel # 25 Econo Unit



Vogel # 35 ARC-Fit Standard Housing



Punch & Die Assembly

ARC-Fit Spring



- # 9202
- # 9203
- # 9204
- # 9205


OTHER SIZES ARE AVAILABLE

1265 N. CUYAMACA ST. EL CAJON, CA 92020 619-449-0333	13111 DAHLIA ST. FONTANA, CA 92337 909-350-9040	8530 UNSWORTH AVE. SACRAMENTO, CA 95828 916-381-4065	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352 818-504-3700	10010 PORTLAND AVE. TACOMA, CA 98445 253-535-5500
--	---	--	---	---



GROUND HOG EARTH DRILLS
GROUND HOG, C-71-5 1/C, less auger

ENGINE	ITEM#	PRICE
5.5 HP Briggs & Stratton I/C	63300	
5.5 HP Honda	63299	




GROUND HOG, COMBO AUGERS
Works best in HARD, COMPACT soils

DESCRIPTION	ITEM#	SIZE	PRICE
Combo (CSD6)	63301	6"	
Combo (CSD8)	63302	8"	
Combo (CSD9)	63303	9"	
Combo (CSD10)	63304	10"	
Combo (CSD12)	63305	12"	



GROUND HOG, PENGU AUGERS
For use in HARD, DRY, COMPACT soils

Pengo (PSD4)	63306	4"	
Pengo (PSD6)	63307	6"	
Pengo (PSD7)	63308	7"	
Pengo (PSD8)	63309	8"	
Pengo (PSD9)	63310	9"	
Pengo (PSD10)	63311	10"	
Pengo (PSD12)	63312	12"	



GROUND HOG, STANDARD AUGERS
Works best in LOOSE AND MOIST soils

Standard (SD2)	63313	2" Auger	
Standard (SD4)	63314	4" Auger	
Standard (SD6)	63315	6" Auger	
Standard (SD7)	63316	7" Auger	
Standard (SD8)	63317	8" Auger	
Standard (SD9)	63318	9" Auger	
Standard (SD10)	63319	10" Auger	

GROUND HOG EXTENSION SHAFTS

DESCRIPTION	ITEM#	PRICE
EX1, 1 foot extension shaft	63321	
EX2, 2 foot extension shaft	63322	
EX3, 3 foot extension shaft	63323	
Clevis pin with clip	63325	



PILOT BLADES

100 pilot, use on SD & CSD augers	63326	
SB-25 pilot, use on PSD 2", 6"-12"	63335	
SB-45 pilot, use on PSD 4"	63336	
101 chipper, use on SD 6"-12"	63332	



100




SB-25



101

PENGO BLADES (INCLUDES RUBBER LOCK)

35 Pengo wisdom tooth	63333	
35HF Pengo wisdom tooth (hard faced)	63334	
5T30 Pengo super tooth	63331	
5T30C Pengo carbide tooth	63331-10	



35



35HF



5T30




5T30C

STANDARD BLADES

400 blade, use on SD 4"	63327	
670 blade, use on SD 6", 7"	63328	
800 blade, use on SD 8"	63329	
910 blade, use on SD 9", 10"	63330	
912 blade, use on SD 12"	63330-10	




400




670



800



910



912

MECHANICAL EARTH DRILLS



MODEL/ENGINE	DESCRIPTION	ITEM#	PRICE
MDL-8B	with 8 HP B&S Intek Pro w/10" wheels (#203432)	63116	
MDL-8H	with 8 HP Honda w/10" wheels (#GX-240)	63112	
	Optional 10" pneumatic wheels to 5B & 5H	63053	
	Optional Roll Cage (requires 10" wheels)	63112-05	
	Optional Roll Cage for 5 HP Honda only	63112-10	
MDL-5B	with 5 HP B&S Intek Pro (#128332)	63111	
MDL-5H	with 5.5 HP Honda (#GX-160)	63110	




HYDRAULIC EARTH DRILLS

MODEL/ENGINE	DESCRIPTION	ITEM#	PRICE
HYD-TB11H	Hydraulic Towerable Drill, 11 HP Honda (#GX-340)	63117	
	11 HP B&S Power Source w/ 1 Man Handle Attachment	63118	
	11 HP B&S Power Source w/ 2 Man Handle Attachment	63119	
	11 HP Honda Power Source w/ 1 Man Handle Attachment	63120	
	11 HP Honda Power Source w/ 2 Man Handle Attachment	63120-10	
HYD-AH60	Anchor handle attachment	63121	
HYD-2MHNPT	Optional 2 Man Handle for Remote Drilling	63122	

SNAP ON AUGERS

SIZE	ITEM#	PRICE
3" x 36"	63124	
4" x 36"	63126	
5" x 36"	63127	
6" x 36"	63128	
7" x 36"	63129	
8" x 36"	63130	
9" x 36"	63131	
10" x 36"	63132	
12" x 36"	63133	
14" x 36"	63134	



SIZE	ITEM#	PRICE
1 1/2" x 42"	63135	
2" x 42"	63136	
3" x 42"	63137	
4" x 42"	63138	
5" x 42"	63139	
6" x 42"	63140	
7" x 42"	63141	
8" x 42"	63142	
9" x 42"	63143	
10" x 42"	63144	
12" x 42"	63145	

• Call For Quotation

SNAP ON EXTENSIONS


DESCRIPTION	ITEM#	PRICE
3" x 36"	63146	
4" x 36"	63147	
5" x 36"	63148	
6" x 36"	63149	
7" x 36"	63150	
8" x 36"	63151	
9" x 36"	63152	
10" x 36"	63153	
12" x 36"	63154	
18" Tube Extension	63155	
36" Tube Extension	63156	



CARBIDE BLADES — FOR SNAP-ON AUGERS

1 1/2", 2", & 3" blades are screw-on & fit snap-on augers only.

1 1/2" carbide blade	63168	
2" carbide blade	63169	
3" carbide blade	63170	
4" carbide blade	63171	
5" carbide blade	63172	
6" carbide blade	63173	
7" carbide blade	63174	
8" carbide blade	63175	
9" carbide blade	63176	




REPLACEMENT POINTS & BLADES


Screw on point for 1 1/2" augers	63157	
Screw on point for 2" augers	63158	
Screw on point for 3" augers	63159	

POINT FITS

4", 5", 6", 7", 8", 9", 10", 12" augers	63160	
Screw on point for 16" auger only	63161	
4" and 5" blade	63162	
6" and 7" blade	63163	
8" blade	63164	
9" and 10" blade	63165	
12" blade	63166	



4" thru 14" include mounting bolts & lock nuts. • Call for Quotation



PENGO AUGERS

SIZE	ITEM#	PRICE
6" x 36"	63177	
6" x 42"	63178	
7" x 36"	63179	
7" x 42"	63180	
8" x 36"	63181	
8" x 42"	63182	
9" x 36"	63183	
9" x 42"	63184	
10" x 36"	63185	
10" x 42"	63186	
12" x 36"	63187	
12" x 42"	63189	

• Call for Quotation

NOT ALL SIZES IN STOCK

— Pengo Points & Blades are standard on all Pengo Augers —

— Blades include Rubber Locks —



SCREW-ON

AUGERS & EXTENSIONS

Available:

— 1 1/2" to 3" Hex Auger Extensions —

— Hex Points, and —

— Hex Auger Adaptors —