

www.buildersfence.com

**BFC BUILDERS FENCE COMPANY INC.**  
MANUFACTURER • IMPORTER • DISTRIBUTOR

# BFC IRON

**THE PROFESSIONAL'S CHOICE  
RESIDENTIAL - COMMERCIAL - INDUSTRIAL  
CHOICE OF FINISHES AND COLORS  
MEETING THE HIGHEST STANDARDS OF THE INDUSTRY**



**WELDED STEEL CONSTRUCTION PROVIDES OPTIMUM STRENGTH**



#### FIVE LOCATIONS TO SERVE YOU

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 (916) 381-4065 PHONE (916) 381-0105 FAX	13111 DAHLIA ST. FONTANA, CA 92337-6902 (909) 350-9040 PHONE (909) 829-9019 FAX	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 (818) 504-3700 PHONE (818) 768-8124 FAX
---	--	--

1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 (619) 449-0333 PHONE (619) 449-1783 FAX	10010 PORTLAND AVE. TACOMA, WA 98445-3956 (253) 535-5500 PHONE (253) 535-1262 FAX
---	--

# BUILDERS FENCE COMPANY, INC.

# BFC IRON

## BFC RESIDENTIAL

### STANDARD HEIGHTS TO GROUND LEVEL:

3', 4', 5', 6'

### STANDARD PANEL LENGTHS:

94", 120" & 143 1/2"

### STANDARD TUBE SIZES:

PICKETS (SQUARE) 5/8" X 5/8" 18 ga.

RAILS (SQUARE) 1" X 1" 16 ga.

### RECOMMENDED FINISH:

Galva-Guard I

*Note: See page 4 for optional finishes.*

### GATE AVAILABILITY:

Single swing, double swing, ground track sliding & full cantilever slide gates.

Custom lengths can be manufactured at either nominal or no additional costs.

### POSTS:

Posts are supplied according to weight and size of fence material. They are available for dirt-set, concrete-set or flange mounting.

### INSTALLATION:





All fence panels and gates are delivered prepared for welded installation. BFC offers wall mount and post mounting brackets if required.

### OPTIONS:

BFC's Residential Iron Fencing offers endless choices of twisted pickets, scroll work, cast iron finials, rings, flame-cut letters and arching rails providing a unique design for the home.



*Complete ADA compliant Security Systems Available*



***BFC Residential Iron Fencing adds both beauty and security to any home.***




# BUILDERS FENCE COMPANY, INC.

# BFC IRON

## BFC COMMERCIAL



*Extra Heavy Aristocrat*



## BFC HEAVY FENCE STYLES

## REGAL • ARISTOCRAT • GUARDIAN

### STANDARD SIZES:

REGAL & ARISTOCRAT:

Heights: 5', 6', 7', and 8'. Lengths: 94", 118"

GUARDIAN:

Heights: 7', 8', 9', and 10'. Length: 94".

### RAILS:

1-1/2" x 1-1/2" 14 ga. steel tube

### PICKETS:

3/4" X 3/4" 16 ga. steel tube at 4-3/4" O.C. or 6" O.C.

### POSTS:

2" x 2" 14 or 11 ga. steel tube with pressed steel cap.  
Space posts at 8' O.C. or 10' O.C.

### SWING GATES:

Framework as required for size, but not less than that of panels.  
Pickets to match panels. Hardware as required.  
Trussing and heavier posts may be necessary

### SLIDE GATES:



2" x 2" x 11 ga. steel tube top rail and verticals. Bottom rail shall be 2" x 4" x 11 ga. steel tube with wheel housings. Ground track to be angle iron (sized per requirements) with #4 rebar hooks welded at 24" O.C. Wheels shall be 6" diameter V-Groove type with grease fitting and needle bearings. Upper guides to be BFC Type I roller assemblies with 2" diameter hard rubber rollers, 1/2" axle and bronze bushings. Safety posts to be minimum 4" sq. 11 ga. steel tube.

### RECOMMENDED FINISH:

Galva-Guard I See page 4 of this brochure for a complete listing of finish options. Custom Color Matching Available

### XTRA-HEAVY REGAL - ARISTOCRAT - GUARDIAN:

2" rail (14 ga.) - 1" pickets (16 ga.) - 5" O.C. or 6" O.C.



# STYLE & FINISH OPTIONS

## **GALVA-GUARD I - Recommended Paint Finish**

### **Pre-Galvanized Tubing and Polyurethane Painted**

Materials are fabricated using galvanized tubing and finished with one spray coat of high solids primer and one spray coat of high solids gloss black polyurethane paint.

**Extended warranty is available.**

## **GALVA-GUARD II - For Even More Protection**

### **Hot-Dipped Galvanized and Polyurethane Painted**

After fabrication, materials are hot-dipped galvanized per ASTM-A 123 and finished with one spray coat of high solids polyurethane primer and one spray coat of gloss black polyurethane paint.

**Extended warranty is available.**

**Polyurethane paint is a high solids aliphatic, two component polyurethane coating system that offers long lasting gloss and color retention.**

**BFC polyurethane coating can match any color specified.**

## **GALVA-GUARD III - Recommended Powder Finish**

### **Pre-Galvanized Tubing and Polyester Powder Coated**

Materials are fabricated using galvanized tubing and finished with one powder coat of zinc-rich epoxy primer and one coat of polyester powder coat black.

**Extended warranty is available.**

**Polyester powder coating, known for its hard durable finish is available in a wide selection of colors.**

**GALVA-GUARD I, II and III provide long lasting beauty and superior corrosion protection.**

*In addition to our recommended finishes above, BFC also offers the following more economical finish for use in dry, non-corrosive environments.*






## **BFC POLY PRO + Polyurethane Painted**

After fabrication, materials are power washed in an iron phosphate solution and receive one spray coat of high solids polyurethane primer and one spray coat of high solids gloss black polyurethane paint.




## CUSTOM RESIDENTIAL OPTIONS:


### SIMPLE ARCH SWOOPING TOPS or COMPOUND ARCH




005




006




007



008A



009



012

## **BFC STANDARD POLYURETHANE COLORS - CUSTOM COLOR MATCHING AVAILABLE**



1 BFC Green

2 BFC Olive Green

3 BFC Cornflower Blue

4 BFC Ocean Blue

5 BFC Antique Rose

6 BFC Bone White

7 BFC Almond

8 BFC Desert Sand

9 BFC Desert Beige

10 BFC Brown

11 BFC Slate Gray

12 BFC Grey

13 BFC Black

14 BFC White

## **BFC STANDARD POLYESTER POWDER COAT COLORS - CUSTOM COLOR MATCHING AVAILABLE**



1 Black

2 DW Green

3 White

4 Chocolate Brown

5 Evergreen

6 Unicream

7 Camel

8 Grey

9 BR47 Rust

10 Patrician Bronze